





NFPA Classification	DOT / TDG Pictograms	WHMIS Classification	HMIS		PROTECTIVE CLOTHING
			Health	1	
			Flammability	0	
			Reactivity	0	
			PPE	n	

Section I. Chemical Product and Company Identification

PRODUCT NAME/ TRADE NAME Urea Solutions 30-60%

SYNONYM This MSDS applies to all formulations of fertilizer solution consisting exclusively of urea in water. This includes but is not limited to the following formulations:

14-0-0
23-0-0
28-0-0

MSDS NUMBER: 14121

CHEMICAL NAME Carbamide

REVISION NUMBER 4.10

CHEMICAL FAMILY Aliphatic amide

MSDS prepared by November 18, 2009
the Environment,
Health and Safety
Department on:

CHEMICAL FORMULA CO(NH₂)₂

24 HR EMERGENCY TELEPHONE NUMBER:

MATERIAL USES Agricultural industry: Fertilizer.
Industrial applications: Manufacture of specialty fertilizers.

Transportation: 1-800-792-8311
Medical: 1-888-670-8123

MANUFACTURER

Agrium
North American Wholesale
13131 Lake Fraser Drive, S.E.
Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.
Suite 1700, 4582 South Ulster St.
Denver, Colorado, U.S.A., 80237

SUPPLIER

Agrium
North American Wholesale
13131 Lake Fraser Drive, S.E.
Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.
Suite 1700, 4582 South Ulster St.
Denver, Colorado, U.S.A., 80237

Section II. Hazardous Ingredients

NAME	CAS #	Exposure Limits (ACGIH)						% by Weight
		TLV-TWA mg/m ³	TLV-TWA ppm	STEL mg/m ³	STEL ppm	CEIL mg/m ³	CEIL ppm	
Urea	57-13-6	---						30-60
Imidodicarbonic diamide (biuret)	108-19-0	---						0.3-0.7

ACGIH TLV notations:

--- No assigned TLV

(C) - Ceiling - the concentration not to be exceeded at any time

(I) - measured as the Inhalable fraction of the aerosol

(R) - measured as the Respirable fraction of the aerosol

(T) - measured as the Thoracic fraction of the aerosol

Continued on Next Page

TOXICOLOGICAL DATA ON INGREDIENTS	TFI Product Testing Program Results - Urea 46-0-0 :^ Acute oral toxicity: 14,300 mg/kg rat; 11,500 mg/kg mouse; 510 mg/kg cattle Chronic oral toxicity, NOAEL: 6,750 mg/kg mouse; 2,250 mg/kg rat Ecotoxicity: Acute toxicity to fish, Barillius barna, LC ₅₀ , 96hr: >9,100 mg/L Acute toxicity to invertebrates, Daphnia, EC ₅₀ (24kr) >10,000 mg/L Acute toxicity to birds, pigeon, LDLo = 16,000 mg/kg subcutaneous Toxicity to algae, Scenedesmus quadricauda, cell multiplication inhibition, TT(192 hr) > 10,000 mg/L
--	--

Section III. Hazards Identification.

POTENTIAL ACUTE HEALTH EFFECTS	This product may irritate eyes and skin upon contact. Not considered to be toxic for humans. However, in keeping with good industrial hygiene practises, exposure to any chemical should be kept to a minimum.
POTENTIAL CHRONIC HEALTH EFFECTS	CARCINOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA. MUTAGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA. TERATOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA. There is no known effect from chronic exposure to this product. Urea is approved as a food and cosmetic additive, is an ingredient in clinical preparations, and is a normal human metabolite found in urine.

Section IV. First Aid Measures

EYE CONTACT	May cause eye irritation. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Obtain medical attention if irritation persists.
MINOR SKIN CONTACT	May cause skin irritation. Wash contaminated skin with soap and water. Cover dry or irritated skin with a good quality skin lotion. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.
EXTENSIVE SKIN CONTACT	No additional information.
MINOR INHALATION	Repeated or prolonged inhalation may lead to respiratory irritation. Loosen tight clothing around the individual's neck and waist. Allow the person to rest in a well ventilated area. Obtain medical attention if irritation persists.
SEVERE INHALATION	No additional information.
SLIGHT INGESTION	Do not induce vomiting. Low toxicity. May cause digestive tract irritation, with accompanying nausea, vomiting and diarrhea. If spontaneous vomiting does occur, lower the head so that the vomit will not reenter the mouth and throat. If tolerated, give no more than 1 cup of milk or water for adults or 1/2 cup for children to rinse the mouth and throat, dilute the stomach contents, and minimize irritation. Obtain medical attention if irritation persists.
EXTENSIVE INGESTION	No additional information.

Section V. Fire and Explosion Data

THE PRODUCT IS	Non-flammable.
AUTO-IGNITION TEMPERATURE	Not applicable.
FLASH POINT	Not applicable.
FLAMMABILITY LIMITS	Not applicable.
PRODUCTS OF COMBUSTION	Material will not burn, but thermal decomposition may result in flammable/toxic gases being formed after material evaporates to dryness. These products are ammonia, carbon dioxide, and oxides of nitrogen.

Continued on Next Page

FIRE HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Not applicable.
EXPLOSION HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Reacts violently with chlorine bleach. Resultant product may explode.
FIRE FIGHTING MEDIA AND INSTRUCTIONS	Non-flammable. Material will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and combustible gases (ammonia, carbon dioxide, and oxides of nitrogen). Fire fighters should wear a self-contained breathing apparatus. Use extinguishing media suitable for surrounding materials.
SPECIAL REMARKS ON FIRE HAZARDS	Flammable/toxic gases will form at elevated temperatures by thermal decomposition. When exposed to heat, ammonia is released.
SPECIAL REMARKS ON EXPLOSION HAZARDS	May be explosive when mixed with hypochlorites. Forms nitrogen trichloride which explodes spontaneously in air.

Section VI. Accidental Release Measures

SMALL SPILL	Stop leak if possible to do so without risk. Dike and contain spilled material. Ensure that the spilled material does not enter sewers, wells, or watercourses. Pump up spilled material or absorb on inert material (sand or dirt) and place in suitable containers for reuse or disposal. Ensure disposal complies with local regulations.
LARGE SPILL	Prevent additional discharge of material, if possible to do so without hazard. Prevent spills from entering sewers, watercourses, wells, etc. Product will promote algae growth which may degrade water quality and taste. Notify downstream water users. Recover and place material in suitable containers for recycle, reuse, or disposal.

Section VII. Handling and Storage

PRECAUTIONS	If user operations generate mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Keep out of reach of children.
STORAGE	Ensure compatibility with storage vessel materials of construction. Keep at an appropriate storage temperature to prevent freezing.

Section VIII. Exposure Controls/Personal Protection

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate mists, use ventilation to keep exposure to airborne contaminants below the exposure limit.
PERSONAL PROTECTION	The selection of personal protective equipment varies, depending upon conditions of use. Wear appropriate respiratory protection for dust/mist when ventilation is inadequate. A filtering facepiece dust mask is recommended for most applications if respiratory protection is needed. Where skin and eye contact may occur as a result of brief periodic exposures, wear long sleeved clothing, coveralls, chemical resistant gloves, and safety glasses with side shields.
PERSONAL PROTECTION IN CASE OF LARGE RELEASE	No additional information.
EXPOSURE LIMITS	Fed OSHA PEL: 15 mg/m ³ Total dust, 5 mg/m ³ Respirable fraction, for Particulates Not Otherwise Regulated. Federal, State or Provincial exposure limits may vary by jurisdiction. Consult local authorities for acceptable exposure limits in your area.

Section IX. Physical and Chemical Properties

PHYSICAL STATE AND APPEARANCE	A clear, colorless or slightly hazy liquid.		
MOLECULAR WEIGHT	Not applicable	COLOR	Colorless.
pH (10% SOLN/WATER)	8.5-10.5	ODOR	Odorless to slightly ammoniacal.
BOILING POINT	Not available	ODOR THRESHOLD	17 PPM recognition threshold as ammonia.
MELTING POINT	17.8°C 64°F (Salt out temp, 50% soln)	TASTE	Saline.
CRITICAL TEMPERATURE	Not applicable.	VOLATILITY	Not available.
SPECIFIC GRAVITY g/cc	~1.14 (Water = 1)	SOLUBILITY	Easily soluble in cold water, hot water.
BULK DENSITY kg/m³ ; lbs/ft³	Variable depending on formulation	DISPERSION PROPERTIES	Easily dispersed in any proportion in cold water and hot water.
VAPOR PRESSURE	14mm Hg	WATER/OIL DIST. COEFF.	Not available.
VAPOR DENSITY	Not available.		

Section X. Stability and Reactivity Data

STABILITY	The product is stable.
INSTABILITY TEMPERATURE	Not available.
CONDITIONS OF INSTABILITY	No additional remark.
INCOMPATIBILITY WITH VARIOUS SUBSTANCES	Reactive with halogens. Slightly reactive with oxidizing agents, reducing agents, acids, alkalis, moisture. Non-reactive with combustible materials, organic materials, most metals.
CORROSIVITY	Slightly corrosive to mild steel, aluminum, zinc, and copper. Non-corrosive to stainless steel (304 or 316).
SPECIAL REMARKS ON REACTIVITY	May react explosively with hypochlorite bleach.
SPECIAL REMARKS ON CORROSIVITY	Corrosive to ferrous metals and alloys. Incompatible with copper and its alloys. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

Section XI. Toxicological Information

SIGNIFICANT ROUTES OF EXPOSURE	Ingestion. Inhalation.
TOXICITY TO ANIMALS	<p>Acute oral toxicity (LD50): 14300 mg/kg (Rat.).</p> <p>Under controlled feeding conditions, urea is used as a nutritional supplement in cattle and other animals. The toxic dose in cattle given urea for the first time is considered to be 0.45 g/kg or a total of 100-200 g. Mature bullocks can digest as much as 400 g a day without ill effect. As little as 50 g may cause adverse effects in cattle not accustomed to it.</p> <p>Animal Antidote and Emergency Treatment: In animals, the cold water - acetic acid treatment may work. The adult cow is given 19-38 liters cold water and 3.8 liters of 5% acetic acid (vinegar) orally. This treatment limits absorption of ammonia from the rumen by diluting the rumen contents and slowing the rate of hydrolysis of urea by decreasing rumen pH and temperature. The treatment also promotes urine flow that, if maintained by fluid therapy, may assure recovery from urea toxicity. Gaseous or fluid bloat should be relieved before pumping water into the rumen. Consult your veterinarian immediately.</p>
SPECIAL REMARKS ON TOXICITY TO ANIMALS	Low toxicity for humans or animals. Urea ingestion may be toxic to mammals and birds at body burdens of several thousands of mg/kg. Urea is used in small quantities as a feed supplement for livestock.

Continued on Next Page

OTHER EFFECTS ON HUMANS	Our data base contains no additional remark on the toxicity of this product
SPECIAL REMARKS ON CHRONIC EFFECTS ON HUMANS	No effects.
SPECIAL REMARKS ON OTHER EFFECTS ON HUMANS	May cause irritation of the mucous membranes and upper respiratory tract.


Section XII. Ecological Information

ECOTOXICITY	Will slowly release ammonia and degrade to nitrate. Ammonia is a toxic hazard to fish. However, ammonia release is slow making urea much less toxic than ammonium salts. Aquatic toxicity tests indicate 24 Hr exposure at 16,000 mg/L of urea did not kill Creek Chubs. Urea ingestion may be toxic to mammals and birds at body burdens of several thousands of mg/kg. Urea is used in small quantities as a feed supplement for livestock. U.S. D.O.T.: This material NOT listed as a Marine pollutant.
BOD and COD	Not available.
PRODUCTS OF DEGRADATION	Ammonia, carbon dioxide and water.
TOXICITY OF THE PRODUCTS OF DEGRADATION	The product itself and its products of degradation are not harmful under normal conditions of use. Avoid spills or releases to watercourses.
SPECIAL REMARKS ON THE PRODUCTS OF DEGRADATION	Urea will promote algae growth which may degrade water quality and taste. Notify downstream water users. Will disperse in water. Reclaiming material may not be viable.

Section XIII. Disposal Considerations

WASTE DISPOSAL OR RECYCLING	Recover and place material in a suitable container for intended use or disposal. Ensure disposal complies with government requirements and local regulations.
-----------------------------	---

Section XIV. Transport Information

DOT / TDG CLASSIFICATION	Not controlled under DOT (US) or TDG (Canada).
PIN and Shipping Name	Not applicable.
SPECIAL PROVISIONS FOR TRANSPORT	Not applicable.
DOT (U.S.A) (Pictograms)	

Section XV. Other Regulatory Information and Pictograms

OTHER REGULATIONS	<p>CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA): This product is on the Domestic Substances List (DSL), and acceptable for use under the provisions of CEPA.</p> <p>CERCLA/SUPERFUND, 40 CFR 117,302: This product contains no Reportable Quantity (RQ) Substances.</p> <p>EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances. This product does not contain Section 313 reportable ingredients.</p> <p>This product is not considered as a priority pollutant as regulated under the Clean Water Act.</p> <p>TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.</p> <p>CALIFORNIA PROPOSITION 65 the California Safe Drinking Water and Toxic Enforcement Act of 1986 (CA Health and Safety Code Sec 25249.5):</p> <p style="padding-left: 40px;">This product contains no chemicals known to the State of California to cause cancer, birth</p>
-------------------	--

Continued on Next Page

defects, or other reproductive harm.
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and is not subject to control under WHMIS (Canada), or the Hazcom Standard (US).


OTHER CLASSIFICATIONS

HCS (U.S.A.) Not controlled under the HCS (United States). Exempt under 1910.1200(b)(6)(x).
DSCL (EEC) Not controlled under DSCL (Europe).

National Fire Protection Association (U.S.A.)


Hazards presented under acute emergency conditions only:

Health



**Fire Hazard
Reactivity**

Specific Hazard

TDG (Pictograms - Canada)**DSCL (Europe) (Pictograms)****ADR (Europe) (Pictograms)****Section XVI. Other Information****REFERENCES**

- Transportation of Dangerous Goods Act and Clear Language Regulations, current revision.
- Canada Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Domestic Substances List, Canadian Environmental Protection Act.
- 29 CFR Part 1910
- 33 CFR Parts 151, 153, 154, 156
- 40 CFR Parts 1-799
- 46 CFR Part 153
- 49 CFR Parts 1-199
- American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances, 2009.
- NFPA 704, National Fire Codes Online, National Fire Protection Association, current edition at time of MSDS preparation.
- Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers
- ERG 2008 Emergency Response Guidebook
- CHRIS Hazardous Chemical Data: U.S. Coast Guard, Washington, D.C.
- HSDB: Hazardous Substances Data Bank. National Library of Medicine, Bethesda, Maryland ;
- IRIS: Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, D.C.
- NIOSH: Pocket Guide to Chemical Hazards. National Institute for Occupational Safety and Health, Cincinnati, Ohio
- OHM/TADS: Oil and Hazardous Materials Technical Assistance Data System U.S. Environmental Protection Agency, Washington, D.C.
- RTECS®: Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio
- The Fertilizer Institute Product Testing Program Results, March 2003

**OTHER SPECIAL
CONSIDERATIONS**

Three year review. References updated.

**FOR FURTHER SAFETY, HEALTH, OR
ENVIRONMENTAL INFORMATION ON
THIS PRODUCT, CONTACT**

**AGRIUM
Wholesale Environment, Health and Safety
Telephone (780) 998-6906 or Fax (780) 998-6677**

NOTICE TO READER

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.